


# FLOOD INSURANCE STUDY



## SCOTT COUNTY, MISSISSIPPI AND INCORPORATED AREAS

COMMUNITY NAME	COMMUNITY NUMBER
FOREST, CITY OF	280148
LAKE, TOWN OF	280149
MORTON, CITY OF	280150
PEARL RIVER VALLEY WATER SUPPLY DISTRICT	280338
SCOTT COUNTY (UNINCORPORATED AREAS)	280280
SEBASTOPOL, VILLAGE OF	280151



REVISED: Month, Day, 200

Federal Emergency Management Agency

FLOOD INSURANCE STUDY NUMBER  
28123CV000B

**PRELIMINARY**  
02/09/2018

**NOTICE TO  
FLOOD INSURANCE STUDY USERS**

Communities participating in the National Flood Insurance Program (NFIP) have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study (FIS) may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

Part or all of this Flood Insurance Study may be revised and republished at any time. In addition, part of this Flood Insurance Study may be revised by the Letter of Map Revision process, which does not involve republication or redistribution of the Flood Insurance Study. It is, therefore, the responsibility of the user to consult with community officials and to check the community repository to obtain the most current Flood Insurance Study components.

This FIS report was revised on **TBD**. Users should refer to Section 10.0, Revision Description, for further information. Section 10.0 is intended to present the most up-to-date information for specific portions of this FIS report. Therefore, users of this report should be aware that the information presented in Section 10.0 supersedes information in Section 1.0 through 9.0 of this report.

Initial Countywide FIS Effective: December 17, 2010

Revised Countywide FIS Date: **TBD**

## TABLE OF CONTENTS

	<u>Page</u>
1.0 <u>INTRODUCTION</u>	1
1.1 Purpose of Study	1
1.2 Authority and Acknowledgements	1
1.3 Coordination	2
2.0 <u>AREA STUDIED</u>	2
2.1 Scope of Study	2
2.2 Community Description	3
2.3 Principal Flood Problems	3
2.4 Flood Protection Measures	3
3.0 <u>ENGINEERING METHODS</u>	3
3.1 Hydrologic Analyses	4
3.2 Hydraulic Analyses	4
3.3 Vertical Datum	5
4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u>	6
4.1 Floodplain Boundaries	6
4.2 Floodways	6
5.0 <u>INSURANCE APPLICATION</u>	7
6.0 <u>FLOOD INSURANCE RATE MAP</u>	8
7.0 <u>OTHER STUDIES</u>	10
8.0 <u>LOCATION OF DATA</u>	10
9.0 <u>BIBLIOGRAPHY AND REFERENCES</u>	10
10.0 <u>REVISIONS DESCRIPTION</u>	11
10.1 First Revision (Revised <b>TBD</b> )	11

TABLE OF CONTENTS – continued

	<u>Page</u>
<u>FIGURES</u>	
Figure 1 - Floodway Schematic	7
<u>TABLES</u>	
Table 1 – Scope of Study	2
Table 2 – Community Map History	9
<u>EXHIBITS</u>	
Exhibit 1 - Flood Insurance Rate Map Index Flood Insurance Rate Map	

# **FLOOD INSURANCE STUDY SCOTT COUNTY, MISSISSIPPI AND INCORPORATED AREAS**

## **1.0 INTRODUCTION**

### **1.1 Purpose of Study**

This Flood Insurance Study (FIS) revises and updates information on the existence and severity of flood hazards in the geographic area of Scott County, Mississippi, including the Cities of Forest and Morton, the Town of Lake, the Village of Sebastopol, the Pearl River Valley Water Supply District and the unincorporated areas of Scott County (referred to collectively herein as Scott County), and aids in the administration of the National Flood Insurance Act of 1968 and the Flood Disaster Protection Act of 1973. This study has developed flood-risk data for various areas of the community that will be used to establish actuarial flood insurance rates and to assist the community in its efforts to promote sound floodplain management. Minimum floodplain management requirements for participation in the National Flood Insurance Program (NFIP) are set forth in the Code of Federal Regulations at 44 CFR, 60.3.

In some states or communities, floodplain management criteria or regulations may exist that are more restrictive or comprehensive than the minimum Federal requirements. In such cases, the more restrictive criteria take precedence and the State (or other jurisdictional agency) will be able to explain them.

Please note that the Pearl River Valley Water Supply District is geographically located in Hinds, Leake, Madison, Rankin, and Scott Counties. The portion of the Pearl River Valley Water Supply District shown within Scott County is included in this FIS report. See the separately published Hinds, Leake, Madison, and Rankin Counties FIS reports and Flood Insurance Rate Maps (FIRMs) for flood-hazard information for the portion of the Pearl River Valley Water Supply District outside of Scott County.

### **1.2 Authority and Acknowledgments**

The sources of authority for this Flood Insurance Study are the National Flood Insurance Act of 1968 and the Flood Disaster Protection Act of 1973.

This FIS was prepared to include the unincorporated areas of, and incorporated communities within, Scott County in a countywide format. A FIS report has not been previously published for Scott County, Mississippi. This study supersedes hydraulic and hydrologic analysis in Scott County that has been previously published for the Pearl River Valley Water Supply District.

For this countywide FIS, new hydrologic and hydraulic analyses were prepared by The State of Mississippi, for FEMA, under Contract No. EMA-2007-CA-5774. This study was completed in September 2009.

Base map information shown on the FIRM was provided in digital format by the State of Mississippi and the U.S. Census Bureau. Base mapping aerial photography was captured in March 2006 and is at a scale of 1:400.

The digital FIRM was produced using the Mississippi State Plane Coordinate system, East Zone (FIPS ZONE 2301). The horizontal datum was the North American Datum of 1983, GRS80 spheroid. Distance units were measured in U.S. feet.

1.3 Coordination

An initial Consultation Coordination Officer’s (CCO) meeting is held with representatives from FEMA, the communities, and the study contractor to explain the nature and purpose of a FIS, and to identify the streams to be studied. A final CCO meeting was held on January 27, 2010 with representatives from FEMA, the communities, and the study contractor to review the results of the study.

For this countywide FIS, the project Scoping Meeting was held on April 1, 2008 in Forest, Mississippi and attended by representatives from the FEMA, MDEQ, MEMA, Scott County, the Cities of Forest and Morton and the study contractor. Coordination with county officials and Federal, State, and regional agencies produced a variety of information pertaining to floodplain regulations, available community maps, flood history, and other hydrologic data. All problems raised in the meetings have been addressed.

**2.0 AREA STUDIED**

2.1 Scope of Study

This Flood Insurance Study covers the geographic area of Scott County, Mississippi, including the incorporated communities listed in Section 1.1. No new detail studies have been performed for this countywide study. Enhanced approximate studies were performed along Futchs Creek, Futchs Creek Tributary 5, Futchs Creek Tributary 6, Pelahatchie Creek and Sandy Creek. For this FIS, Table 1 lists the streams which were studied by enhanced approximate study methods.

**Table 1: Scope of Study**

Stream	Limits of New Enhanced Approximate Study
Futchs Creek	Approximately 130 feet upstream of US Highway 80 to approximately 1,850 feet upstream of Railroad
Futchs Creek Tributary 5	The confluence with Futchs Creek to approximately 1,590 feet upstream of Industrial Way Street
Futchs Creek Tributary 6	The confluence with Futchs Creek Tributary 5 to approximately to approximately 1,650 feet upstream of the confluence with Futchs Creek Tributary 5
Pelahatchie Creek (downstream reach)	The Scott/Rankin County line to approximately 2.0 miles upstream of Old Highway 80
Pelahatchie Creek (upstream reach)	Approximately 1.0 mile downstream of US Highway 80 to approximately 180 feet upstream of US Highway 80
Sandy Creek	The confluence with Pelahatchie Creek to approximately 1.1 miles upstream of Scales Road

Approximate analyses were used to study those areas having a low development potential or

minimal flood hazards. The scope and methods of study were proposed to, and agreed upon, by FEMA, Scott County, and the Study Contractor.

## 2.2 Community Description

Scott County is located in central Mississippi, about 40 miles east of Jackson. The county is bordered on the south by Smith County; on the west by Rankin County, on the north by Leake County, and on the east by Newton County.

Interstate 20, US Highway 80, and State Highways 13, 21, 35, and 80, along with the Kansas City Southern Railroad are the primary transportation routes serving the county.

The population of Scott County is 28,850 based on the 2008 estimate of the U.S. Census Bureau (Reference 1). The land area of Scott County covers approximately 610 square miles

The climate of Scott County is characterized by hot and humid summers, and short mild winters. Temperatures average 45.4 degrees Fahrenheit (°F) in January and 80.2 °F in July. Annual precipitation over the study area averages 61.9 inches (Reference 2).

## 2.3 Principal Flood Problems

The history of flooding in Scott County indicates that flooding may occur during any season of the year. The majority of floods occur during winter and spring. Runoff from rainfall is the principal cause of flooding. Due to the relatively small size of the drainage basins, flash floods can occur from local high intensity thunderstorms.

## 2.4 Flood Protection Measures

Flood protection measures are not known to exist within the study area.

## 3.0 **ENGINEERING METHODS**

For the flooding sources studied by detailed methods in the community, standard hydrologic and hydraulic study methods were used to determine the flood-hazard data required for this study. Flood events of a magnitude that are expected to be equaled or exceeded once on the average during any 10-, 50-, 100-, or 500-year period (recurrence interval) have been selected as having special significance for floodplain management and for flood insurance rates. These events, commonly termed the 10-, 50-, 100-, and 500-year floods, have a 10-, 2-, 1-, and 0.2-percent chance, respectively, of being equaled or exceeded during any year. Although the recurrence interval represents the long-term, average period between floods of a specific magnitude, rare floods could occur at short intervals or even within the same year.

The risk of experiencing a rare flood increases when periods greater than 1 year are considered. For example, the risk of having a flood that equals or exceeds the 100-year flood (1-percent-chance of annual flood) in any 50-year period is approximately 40 percent (4 in 10); for any 90-year period, the risk increases to approximately 60 percent (6 in 10). The analyses reported herein reflect flooding potentials based on conditions existing in the community at the time of completion of this study. Maps and flood elevations will be amended periodically to reflect future changes.

### 3.1 Hydrologic Analyses

Hydrologic analyses were carried out to establish peak discharge-frequency relationships for each flooding source studied by enhanced approximate and approximate methods affecting the community.

Discharges for the 1-percent-annual-chance recurrence interval for new enhanced approximate streams were determined using the USGS seven parameter nationwide urban equation (Reference 3).

Discharges for the 1-percent-annual-chance recurrence interval for approximate study streams in Scott County were determined using the Rural-East Region USGS regression equations for Mississippi as described in the USGS Water-Resources Investigations report 94-4002 (Reference 4).

Drainage areas along streams were determined using a flow accumulation grid developed from the USGS 10-meter digital elevation models and corrected National Hydrologic Data (NHD) stream coverage (Reference 5). Flow points along stream centerlines were calculated using the regression equations in conjunction with accumulated area for every 10 percent increase in flow along a particular stream.

### 3.2 Hydraulic Analyses

Analyses of the hydraulic characteristics of flooding from the sources studied by enhanced approximate and approximate methods were carried out to provide estimates of the elevations of floods of the selected recurrence intervals.

Cross section geometries were obtained from digital terrain data developed from 10-meter Digital Elevation Models (DEMs) provided by the Mississippi Automated Resource Information System (MARIS) (Reference 6).

Water-surface profiles were computed for new enhanced approximate and approximate study streams through the use of the U.S. Army Corps of Engineers HEC-RAS version 3.1.3 computer program (Reference 7). Water surface profiles were produced for the 1-percent-annual-chance storms for enhanced approximate and approximate studies.

The enhanced approximate and approximate study methodology used Watershed Information System (WISE) (Reference 8) as a preprocessor to HEC-RAS. Tools within WISE allowed the engineer to verify that the cross-section data was acceptable. The WISE program was used to generate the input data file for HEC-RAS. Then HEC-RAS was used to determine the flood elevation at each cross section of the modeled stream. No floodway was calculated for streams studied by approximate methods.

Floodplains were mapped to include backwater effects that govern each flooding source near its downstream extent. Floodplains were reviewed for accuracy and adjusted as necessary.

All qualifying bench marks within a given jurisdiction that are catalogued by the National Geodetic Survey (NGS) and entered into the National Spatial Reference System (NSRS) as First or Second Order Vertical and have a vertical stability classification of A, B, or C are shown and labeled on the FIRM with their 6-character NSRS Permanent Identifier.



Bench marks cataloged by the NGS and entered into the NSRS vary widely in vertical stability classification. NSRS vertical stability classifications are as follows:

- Stability A: Monuments of the most reliable nature, expected to hold position/elevation well (e.g., mounted in bedrock)
- Stability B: Monuments which generally hold their position/elevation well (e.g., concrete bridge abutment)
- Stability C: Monuments which may be affected by surface ground movements (e.g., concrete monument below frost line)
- Stability D: Mark of questionable or unknown vertical stability (e.g., concrete monument above frost line, or steel witness post)

In addition to NSRS bench marks, the FIRM may also show vertical control monuments established by a local jurisdiction; these monuments will be shown on the FIRM with the approximate designations. Local monuments will only be placed on the FIRM if the community has requested that they be included, and if the monuments meet the aforementioned NSRS inclusion criteria.

To obtain current elevation, description, and/or location information for bench marks shown on the FIRM for this jurisdiction, please contact the Information Services Branch of the NGS at (301) 713-3242, or visit their Web site at [www.ngs.noaa.gov](http://www.ngs.noaa.gov).

### 3.3 Vertical Datum

All FIS reports and FIRMs are referenced to a specific vertical datum. The vertical datum provides a starting point against which flood, ground, and structure elevations can be referenced and compared. Until recently, the standard vertical datum in use for newly created or revised FIS reports and FIRMs was the National Geodetic Vertical Datum of 1929 (NGVD 29). With the finalization of the North American Vertical Datum of 1988 (NAVD 88), many FIS reports and FIRMs are being prepared using NAVD 88 as the referenced vertical datum. Flood elevations shown in this FIS report and on the FIRM are referenced to NAVD 88.

For information regarding conversion between the NGVD and NAVD, visit the National Geodetic Survey website at [www.ngs.noaa.gov](http://www.ngs.noaa.gov), or contact the National Geodetic Survey at the following address:

Vertical Network Branch, N/CG13  
National Geodetic Survey, NOAA  
Silver Spring Metro Center 3  
1315 East-West Highway  
Silver Spring, Maryland 20910  
(301) 713-3191

## 4.0 **FLOODPLAIN MANAGEMENT APPLICATIONS**

The NFIP encourages State and local governments to adopt sound floodplain management

programs. To assist in this endeavor, each FIS report provides 1-percent-annual-chance floodplain data, which may include a combination of the following: 10-, 2-, 1-, and 0.2-percent-annual-chance flood elevations; delineations of the 1- and 0.2-percent-annual-chance floodplains; and a 1-percent-annual-chance floodway. This information is presented on the FIRM and in many components of the FIS report, including Flood Profiles, Floodway Data tables, and Summary of Stillwater Elevation tables. Users should reference the data presented in the FIS report as well as additional information that may be available at the local community map repository before making flood elevation and/or floodplain boundary determinations.

#### 4.1 Floodplain Boundaries

To provide a national standard without regional discrimination, the 1-percent-annual-chance flood has been adopted by FEMA as the base flood for floodplain management purposes. The 0.2-percent-annual-chance flood is employed to indicate additional areas of flood risk in the county, though none are mapped in Scott County.

For each stream studied by enhanced approximate and approximate methods, the 1-percent-annual-chance floodplain boundaries have been delineated using topographic data developed from 10 meter Digital Elevation Models (DEMs) acquired from the MARIS. These DEMs were developed from terrain data provided by the United States Geological Survey (Reference 6). For the streams studied by approximate methods, the 1-percent-annual-chance floodplain boundaries are shown on the FIRM (Exhibit 1). On this map, the 1-percent-annual-chance floodplain boundary corresponds to the boundary of the areas of special flood hazards (Zones A). Small areas within the floodplain boundaries may lie above the flood elevations, but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data.


#### 4.2 Floodways

Encroachment on floodplains, such as structures and fill, reduces flood-carrying capacity, increases flood heights and velocities, and increases flood hazards in areas beyond the encroachment itself. One aspect of floodplain management involves balancing the economic gain from floodplain development against the resulting increase in flood hazard. For purposes of the National Flood Insurance Program, a floodway is used as a tool to assist local communities in this aspect of floodplain management. Under this concept, the area of the 1-percent-annual-chance floodplain is divided into a floodway and a floodway fringe. The floodway is the channel of a stream, plus any adjacent floodplain areas, that must be kept free of encroachment so that the 1-percent-annual-chance flood can be carried without substantial increases in flood heights. Minimum Federal standards limit such increases to 1.0 foot, provided that hazardous velocities are not produced.

Floodways have not been computed for streams studied by enhanced approximate and approximate methods because of limitations in the study methodology. Along streams where floodways have not been computed, the community must ensure that the cumulative effect of development in the floodplain will not cause more than a 1.0-foot increase in the base flood elevations at any point within the community.

The area between the floodway and 1-percent-annual-chance floodplain boundaries is termed the floodway fringe. The floodway fringe encompasses the portion of the floodplain that could be completely obstructed without increasing the water-surface elevation of the 1-

percent-annual-chance flood more than 1.0 foot at any point. Typical relationships between the floodway and the floodway fringe and their significance to floodplain development are shown in Figure 1, "Floodway Schematic."



**Figure 1. Floodway Schematic**

## 5.0 INSURANCE APPLICATION

For flood insurance rating purposes, flood insurance zone designations are assigned to a community based on the results of the engineering analyses. These zones are as follows:

### Zone A

Zone A is the flood insurance rate zone that corresponds to the 1-percent-annual-chance floodplains that are determined in the Flood Insurance Study by approximate methods. Because detailed hydraulic analyses are not performed for such areas, no base (1-percent-annual-chance) flood elevations (BFEs) or depths are shown within this zone.

### Zone X

Zone X is the flood insurance rate zone that corresponds to areas outside the 0.2-percent-annual-chance floodplain, areas within the 0.2-percent-annual-chance floodplain, areas of 1-percent-annual-chance flooding where average depths are less than 1 foot, areas of 1-percent-annual-chance flooding where the contributing drainage area is less than 1 square mile (sq. mi.), and areas protected from the 1-percent-annual-chance flood by levees. No BFEs or depths are shown within this zone.

## **6.0 FLOOD INSURANCE RATE MAP**

The Flood Insurance Rate Map (FIRM) is designed for flood insurance and floodplain management applications.

For flood insurance applications, the map designates flood insurance rate zones as described in Section 5.0. Insurance agents use the zones and BFEs in conjunction with information on structures and their contents to assign premium rates for flood insurance policies.

For floodplain management applications, the map shows by tints, screens, and symbols, the 1-percent-annual-chance floodplains calculated by the hydraulic analyses.

The countywide Flood Insurance Rate Map presents flooding information for the entire geographic area of Scott County. Previously, Flood Insurance Rate Maps were prepared for each incorporated community and the unincorporated areas of the County identified as flood-prone. This countywide Flood Insurance Rate Map also includes flood-hazard information that was presented separately on Flood Boundary and Floodway Maps, where applicable. Historical data relating to the maps prepared for each community are presented in Table 2, “Community Map History.”

<b>COMMUNITY NAME</b>	<b>INITIAL IDENTIFICATION</b>	<b>FLOOD HAZARD BOUNDARY MAP REVISIONS DATE</b>	<b>FIRM EFFECTIVE DATE</b>	<b>FIRM REVISIONS DATE</b>
Forest, City of	June 28, 1974	July 11, 1975	February 1, 1987	--
Lake, Town of	July 19, 1974	June 25, 1976	August 5, 1985	--
Morton, City of	June 7, 1974	October 17, 1975	September 29, 1986	--
Pearl River Valley Water Supply District	June 17, 1977 (Scott County)	None	September 1, 1987 (Scott County)	January 19, 1996 March 2, 1993
Scott County (Unincorporated Areas)	June 17, 1977	None	September 1, 1987	December 7, 2010
Sebastopol, Village of	February 7, 1975	None	June 3, 1986	--

**TABLE 2**

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SCOTT COUNTY, MS**  
AND INCORPORATED AREAS

**COMMUNITY MAP HISTORY**

## 7.0 OTHER STUDIES

There are no previously published FIS reports for Scott County or its incorporated communities. An FIS was produced for the Pearl River Valley Water Supply District, which includes a portion of Scott County. There were FIRMs previously produced for the Unincorporated Areas of Scott County and the Cities of Forest and Morton, Town of Lake and Village of Sebastopol, as well as the Pearl River Valley Water Supply District. The Flood Insurance Studies published for Madison, Leake, Newton, Smith and Rankin, Counties, Mississippi are in agreement with this study.

Information pertaining to revised and unrevised flood hazards for each jurisdiction within Scott County has been compiled into this FIS. Therefore, this FIS report supersedes or is compatible with all previously printed FIS reports, FIRMs, and Flood Hazard Boundary Maps (FBFMs) for all jurisdictions within Scott County, and should be considered authoritative for the purposes of the NFIP.

## 8.0 LOCATION OF DATA

Information concerning the pertinent data used in the preparation of this FIS can be obtained by contacting FEMA Region IV, Federal Insurance and Mitigation Division, Koger Center – Rutgers Building, 3003 Chamberlee Tucker Road, Atlanta, Georgia, 30341.

Future revisions may be made that do not result in the republishing of the Flood Insurance Study report. To ensure that any user is aware of all revisions, it is advisable to contact the map repository of flood hazard data located in the community.

## 9.0 BIBLIOGRAPHY AND REFERENCES

1. U.S. Census Bureau. <http://www.census.gov/>. Accessed September 16, 2009.
2. National Weather Service Forecast Office, Jackson, MS, 30 Year Normals (1971-2000). [http://www.srh.noaa.gov/jan/climate/climate\\_forest3s.htm](http://www.srh.noaa.gov/jan/climate/climate_forest3s.htm) Accessed October 19, 2009.
3. U.S. Geological Survey, Flood Characteristics of Urban Watersheds in the United States, U.S. Geological Survey Water-Supply Paper 2207, 1983.
4. U.S. Geological Survey, Nationwide Summary of U.S. Geological Survey Regional Regression Equations for Estimating Magnitude and Frequency of Floods for Ungaged Sites, U.S. Geological Survey Water-Resources Investigations Report 94-4002, 1993.
5. U.S. Geological Survey. <http://nhd.usgs.gov/data.html>. Accessed February, 2009.
6. Mississippi Automated Resource Information System (MARIS). <http://www.maris.state.ms.us/Htm/DownloadData/DEM.html>. Accessed February, 2009.
7. U.S. Army Corps of Engineers Hydrologic Engineering Center, HEC-RAS River Analysis System User's Manual, Version 3.1.3, May 2005.
8. Watershed Concepts, a Division of AECOM, Watershed Information System Version 3.1.1, Greensboro, NC, July 2008.

## 10.0 REVISIONS DESCRIPTION

**This section has been added to provide information regarding significant revisions made since the original FIS report and DFIRM were printed. Future revisions may be made that do not result in the republishing of the FIS report. To assure that any user is aware of all revisions, it is advisable to contact the community repository of flood hazard data located at 100 East Main Street, Forest, Mississippi 39074.**

### 10.1 First Revision (Revised **TBD**)

#### a. Acknowledgments

The hydrologic and hydraulic analyses for this revision were performed by the State of Mississippi for FEMA under Contract No. EMA-2010-CA-5081. This study was completed in May 2014.

Digital base map information shown on the FIRM was provided in digital format by the National Agriculture Imagery Program (NAIP). Base mapping aerial photography was captured in 2014 with a resolution of 1 meter GSD.

The digital FIRM was produced using the Mississippi State Plane Coordinate system, East Zone (FIPS ZONE 2301). The horizontal datum was the North American Datum of 1983, GRS80 spheroid. Distance units were measured in U.S. feet.

The streams studied as part of this revision reflect more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for Scott County. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the FIS report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on the maps. Flood hazards associated with unstudied flooding sources have not been determined and should be investigated to ensure that existing or proposed development is relatively safe from flooding.

#### b. Coordination

A Project Discovery Meeting was held on June 26, 2012 in Jackson, Mississippi. Attendees for this meeting included representatives from the Mississippi Department of Environmental Quality, Mississippi Emergency Management Agency, the Office of U.S. Senator Thad Cochran, FEMA Region IV, community officials and study contractor. On **TBD**, the results of this FIS revision were presented at a final coordination meeting attended by representatives of the State of Mississippi and its contractor, FEMA, and the community.

#### c. Scope

In this revision, the following table lists the flooding sources, which were newly studied by approximate methods.

TABLE A. REVISED STREAMS STUDIED BY APPROXIMATE METHODS

<u>Stream</u>	<u>Limits of Approximate Study</u>
Raspberry Creek	From the Scott-Smith County boundary to about 1,970 feet upstream of the Rankin-Scott County boundary

Floodplain boundaries for the previously mentioned stream were updated on the following panel:

28123C0400D

d. Hydrologic and Hydraulic Analyses

Hydrologic analyses were carried out to establish peak discharge-frequency relationships for each flooding source affecting the communities. Peak discharges were calculated based on USGS regional regression equations (U.S. Department of the Interior, 1991).

Cross section geometries were obtained from digital terrain data. Any bridges and culverts located within the approximate study limits were not included in the analyses. The Manning's "n" values used for the revised studies were 0.05 for the channel and 0.15 for the overbanks.

Downstream boundary conditions for the hydraulic models were set to normal depth using a starting slope calculated from values taken from topographic data, or where applicable, derived from the water-surface elevations. Water-surface profiles were computed through the use of the USACE HEC-RAS version 4.1.0 computer program (USACE, 2010). The study was intended to provide better consistency with the flood hazard data associated with this stream in the Rankin County FIS and the Scott County FIS.

e. Floodplain Boundaries

For streams studied by the approximate method, only the 1-percent-annual-chance floodplain boundary is shown on the FIRM (Exhibit 2). Floodplain boundaries for these streams were generated using a digital terrain model stereoscopically compiled from 2-foot pixel resolution orthophotography, captured in 2006. FIRM panels that are republished for this revision were produced using the 2012 FIRM specifications. Each FIRM panel may contain specific notes to the user that provide additional information regarding the flood hazard data shown on that map. However, the FIRM panel does not contain enough space to show all the notes that may be relevant in helping to better understand the information on the panel. Figure A contains the full list of these notes.



Figure A: FIRM Notes to Users

## NOTES TO USERS

For information and questions about this map, available products associated with this FIRM including historic versions of this FIRM, how to order products, or the National Flood Insurance Program in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Map Service Center website at <http://msc.fema.gov>. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website. Users may determine the current map date for each FIRM panel by visiting the FEMA Map Service Center website or by calling the FEMA Map Information eXchange.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM Index. These may be ordered directly from the Map Service Center at the number listed above.

For community and countywide map dates, refer to Table 2 in this FIS Report.

To determine if flood insurance is available in the community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

**PRELIMINARY FIS REPORT:** FEMA maintains information about map features, such as street locations and names, in or near designated flood hazard areas. Requests to revise information in or near designated flood hazard areas may be provided to FEMA during the community review period, at the final Consultation Coordination Officer's meeting, or during the statutory 90-day appeal period. Approved requests for changes will be shown on the final printed FIRM.

The map is for use in administering the NFIP. It may not identify all areas subject to flooding, particularly from local drainage sources of small size. Consult the community map repository to find updated or additional flood hazard information.

**BASE FLOOD ELEVATIONS:** For more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables within this FIS Report. Use the flood elevation data within the FIS Report in conjunction with the FIRM for construction and/or floodplain management.

**FLOODWAY INFORMATION:** Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the FIS Report for this jurisdiction.

**FLOOD CONTROL STRUCTURE INFORMATION:** Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of this FIS Report for information on flood control structures for this jurisdiction.

**PROJECTION INFORMATION:** The projection used in the preparation of the map was State Plane Coordinate System, Mississippi East, FIPS ZONE 2301. The horizontal datum was NAD83, GRS1980 spheroid. Differences in datum, spheroid, projection or State Plane zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of the FIRM.

**ELEVATION DATUM:** Flood elevations on the FIRM are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov/> or contact the National Geodetic Survey at the following address:

*NGS Information Services  
NOAA, N/NGS12  
National Geodetic Survey  
SSMC-3, #9202  
1315 East-West Highway  
Silver Spring, Maryland 20910-3282  
(301) 713-3242*

Local vertical monuments may have been used to create the map. To obtain current monument information, please contact the appropriate local community.

**BASE MAP INFORMATION:** Base map information shown on the FIRM was provided by Mississippi Department of Environmental Quality and the United States Census Bureau. Ortho imagery was originally produced by USDA in 2014 and has a 1-meter ground sampling distance.

The map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables may reflect stream channel distances that differ from what is shown on the map.

Corporate limits shown on the map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after the map was published, map users should contact appropriate community officials to verify current corporate limit locations.

### **NOTES FOR FIRM INDEX**

**REVISIONS TO INDEX:** As new studies are performed and FIRM panels are updated within Scott County, MS, corresponding revisions to the FIRM Index will be incorporated within the FIS to reflect the effective dates of those panels. Please refer to Table 2 of this FIS Report to determine the most recent FIRM revision date for each community. The most recent FIRM panel effective date will correspond to the most recent index date.

### **SPECIAL NOTES FOR SPECIFIC FIRM PANELS**

This Notes to Users section was created specifically for Scott County, MS, effective **TBD**.

**FLOOD RISK REPORT:** A Flood Risk Report (FRR) may be available for many of the flooding sources and communities referenced in this FIS Report. The FRR is provided to increase public awareness of flood risk by helping communities identify the areas within their jurisdictions that have the greatest risks. Although non-regulatory, the information provided within the FRR can assist communities in assessing and evaluating mitigation opportunities to reduce these risks. It can also be used by communities developing or updating flood risk mitigation plans. These plans allow communities to identify and evaluate opportunities to reduce potential loss of life and property. However, the FRR is not intended to be the final authoritative source of all flood risk data for a project area; rather, it should be used with other data sources to paint a comprehensive picture of flood risk.

Each FIRM panel contains an abbreviated legend for the features shown on the maps. However, the FIRM panel does not contain enough space to show the legend for all map features. Figure B shows the full legend of all map features. Note that not all of these features may appear on the FIRM panels in Scott County.


**Figure B: Map Legend for FIRM**

**SPECIAL FLOOD HAZARD AREAS:** *The 1% annual chance flood, also known as the base flood or 100-year flood, has a 1% chance of happening or being exceeded each year. Special Flood Hazard Areas are subject to flooding by the 1% annual chance flood. The Base Flood Elevation is the water surface elevation of the 1% annual chance flood. The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights. See note for specific types. If the floodway is too narrow to be shown, a note is shown.*



Special Flood Hazard Areas subject to inundation by the 1% annual chance flood (Zones A, AE, AH, AO, AR, A99, V and VE)

- Zone A The flood insurance rate zone that corresponds to the 1% annual chance floodplains. No base (1% annual chance) flood elevations (BFEs) or depths are shown within this zone.
- Zone AE The flood insurance rate zone that corresponds to the 1% annual chance floodplains. Base flood elevations derived from the hydraulic analyses are shown within this zone.
- Zone AH The flood insurance rate zone that corresponds to the areas of 1% annual chance shallow flooding (usually areas of ponding) where average depths are between 1 and 3 feet. Whole-foot BFEs derived from the hydraulic analyses are shown at selected intervals within this zone.
- Zone AO The flood insurance rate zone that corresponds to the areas of 1% annual chance shallow flooding (usually sheet flow on sloping terrain) where average depths are between 1 and 3 feet. Average whole-foot depths derived from the hydraulic analyses are shown within this zone.

Zone AR	The flood insurance rate zone that corresponds to areas that were formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
Zone A99	The flood insurance rate zone that corresponds to areas of the 1% annual chance floodplain that will be protected by a Federal flood protection system where construction has reached specified statutory milestones. No base flood elevations or flood depths are shown within this zone.
Zone V	The flood insurance rate zone that corresponds to the 1% annual chance coastal floodplains that have additional hazards associated with storm waves. Base flood elevations are not shown within this zone.
Zone VE	Zone VE is the flood insurance rate zone that corresponds to the 1% annual chance coastal floodplains that have additional hazards associated with storm waves. Base flood elevations derived from the coastal analyses are shown within this zone as static whole-foot elevations that apply throughout the zone.
	Regulatory Floodway determined in Zone AE.

**OTHER AREAS OF FLOOD HAZARD**



Shaded Zone X: Areas of 0.2% annual chance flood hazards and areas of 1% annual chance flood hazards with average depths of less than 1 foot or with drainage areas less than 1 square mile.



Future Conditions 1% Annual Chance Flood Hazard – Zone X: The flood insurance rate zone that corresponds to the 1% annual chance floodplains that are determined based on future-conditions hydrology. No base flood elevations or flood depths are shown within this zone.




Area with Reduced Flood Risk due to Levee: Areas where an accredited levee, dike, or other flood control structure has reduced the flood risk from the 1% annual chance flood. [See Notes to Users for important information.](#)



Area with Flood Risk due to Levee: Areas where a non-accredited levee, dike, or other flood control structure is shown as providing protection to less than the 1% annual chance flood.

**OTHER AREAS**




Zone D (Areas of Undetermined Flood Hazard): The flood insurance rate zone that corresponds to unstudied areas where flood hazards are undetermined, but possible.





























Unshaded Zone X: Areas of minimal flood hazard.

**FLOOD HAZARD AND OTHER BOUNDARY LINES**



Flood Zone Boundary (white line on ortho-photography-based mapping; gray line on vector-based mapping)

	Limit of Study
	Jurisdiction Boundary
	Limit of Moderate Wave Action (LiMWA): Indicates the inland limit of the area affected by waves greater than 1.5 feet
<b>GENERAL STRUCTURES</b>	
 <i>Aqueduct</i> <i>Channel</i> <i>Culvert</i> <i>Storm Sewer</i>	Channel, Culvert, Aqueduct, or Storm Sewer
 <i>Dam</i> <i>Jetty</i> <i>Weir</i>	Dam, Jetty, Weir
	Levee, Dike, or Floodwall
 <i>Bridge</i>	Bridge
<b>COASTAL BARRIER RESOURCES SYSTEM (CBRS) AND OTHERWISE PROTECTED AREAS (OPA):</b> <i>CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas. See Notes to Users for important information.</i>	
 <b>CBRS AREA</b> 09/30/2009	Coastal Barrier Resources System Area: Labels are shown to clarify where this area shares a boundary with an incorporated area or overlaps with the floodway.
 <b>OTHERWISE PROTECTED AREA</b> 09/30/2009	Otherwise Protected Area
<b>REFERENCE MARKERS</b>	
 22.0	River mile Markers
<b>CROSS SECTION &amp; TRANSECT INFORMATION</b>	
 — 20.2	Lettered Cross Section with Regulatory Water Surface Elevation (BFE)
 — 21.1	Numbered Cross Section with Regulatory Water Surface Elevation (BFE)
— 17.5	Unlettered Cross Section with Regulatory Water Surface Elevation (BFE)

	Coastal Transect
 	Profile Baseline: Indicates the modeled flow path of a stream and is shown on FIRM panels for all valid studies with profiles or otherwise established base flood elevation.  Coastal Transect Baseline: Used in the coastal flood hazard model to represent the 0.0-foot elevation contour and the starting point for the transect and the measuring point for the coastal mapping.
	Base Flood Elevation Line
<b>ZONE AE (EL 16)</b>	Static Base Flood Elevation value (shown under zone label)
<b>ZONE AO (DEPTH 2)</b>	Zone designation with Depth
<b>ZONE AO (DEPTH 2) (VEL 15 FPS)</b>	Zone designation with Depth and Velocity
<b>BASE MAP FEATURES</b>	
	River, Stream or Other Hydrographic Feature
	Interstate Highway
	U.S. Highway
	State Highway
	County Highway
	Street, Road, Avenue Name, or Private Drive if shown on Flood Profile
	Railroad
	Horizontal Reference Grid Line
	Horizontal Reference Grid Ticks
	Secondary Grid Crosshairs
Land	Name of Land Grant
Grant	
7	Section Number
R. 43 W.	Range, Township Number
T. 22 N.	
4276 <sup>000m</sup> E	Horizontal Reference Grid Coordinates (UTM)

<b>365000 FT</b>	Horizontal Reference Grid Coordinates (State Plane)
<b>80° 16' 52.5"</b>	Corner Coordinates (Latitude, Longitude)

f. Bibliography and References

U.S. Army Corps of Engineers (January 2010). Hydrologic Engineering Center, HEC-RAS River Analysis System, User's Manual, version 4.1.0, Davis, California.

U.S. Department of the Interior (1991). Geological Survey, Flood Characteristics of Mississippi Streams, Water-Resources Investigations Report 91-4037, Jackson, MS.